



CUSTOM SHOP
PRODUCTS by JICO

STYLUS
CATALOG

JICO

Super Analog Stylus Series JICO's Original High Quality and Long Life Model




SAS (Super Analog Stylus) is our original record stylus which has a special shaped tip that achieves linear contact while also reducing friction between the sound groove and needle tip at the same time. The impressive result is an excellent reproduction of the treble and bass from an analog record, as well as a longer playing time of approximately 500 hours.




Analog record production requires a master disc that is cut on a dedicated lathe. The SAS stylus tips are laser cut to resemble the needle tip used on a cutting lathe. This enables the SAS tip to reach the deepest sections of a record's sound groove and collect sounds that standard needles cannot. Because the sound groove's contact area is big, an accurate sound recording will be reproduced across a wide frequency range.

SAS/B Boron Cantilever



There are many customers who believe that this model is well suited to use for articulating delicate sounds like those present in classical music. An aluminum cantilever is unable to reproduce the original sound groove information as accurately and faithfully as the SAS Boron. The average playing time for this model is about 500 hours.

SAS/S Sapphire Cantilever



This model has high degree of rigidity which improves the reproducibility of sound recorded from an analog record. This concept has been characterized by many customers as greatly improving the perception of the sounds and vocals on a record. Compared to the Boron version (SAS/B), the impression of the Sapphire Cantilever is closer to high-resolution sound. The typical playing time for this model is about 500 hours.

MORITA ~Wood Carving Cantilever~ The cantilever in this model is made of wood

"I wanted to hear what a record needle with a wooden cantilever sounded like."

The words of Kotaro Morita, a quiet record needle maker that inspired this invention.

Morita has worked with JICO for over half a century and has always prioritized "Monozukuri*¹" We've chosen to introduce a product named after him in order to preserve his spirit, abilities, and accomplishments for future generations.

*¹ Monozukuri is the Japanese philosophy of craftsmanship, where skilled artisans create objects with precision, patience, and respect for tradition. It values mastery of techniques, simplicity, aesthetics, and a connection to both the past and future, resulting in handcrafted, beautiful, and functional pieces.

KUROGAKI

Model with Cantilever made of KUROGAKI - Black Persimmon



Japanese Black Persimmon wood is used to make the cantilever, which is very rare and valuable. The conical tip used for this stylus has an average play time of roughly 200 hours.

USHIKOROSHI

Model with Cantilever made of USHIKOROSHI - Christmas Berry Wood



This product has an appealing mid-bass sound that is tense and powerful, making it suitable for music with a lot of intensity. The conical tip used for this stylus has an average play time of roughly 200 hours.

YURUSHI-IRO


Model with Cantilever made of YURUSHI-IRO - Pink Ivory



Each individual sound is very delicate, with excellent clarity in the high tones, and it is characterized by a beautiful and transparent overall sound. The conical tip used for this stylus has an average play time of roughly 200 hours.

NUDE Stylus Series

Stylus tip is structured entirely from Diamond



In contrast to bonded tips, NUDE (solid) tips are entirely made of diamond. Its angle and round shape are similar to a bonded tip, but its diameter is equal in size to that of the SAS series.

* Models featuring the word "NUDE" in the product name are those with Solid Diamond Tips.

▶ NUDE Conical Stylus [Universal model suitable for a general range of](#)



Stylus tip with standard conical shape (tip R0.7mil). The average playing time is about 200 hours. bass from an analog record, as well as a longer playing time of approximately 500 hours.


▶ NUDE Elliptical Stylus [A model with a feature in the extension of high frequency treble](#)



Compared to the NUDE Conical Stylus, this needle tip has an Elliptical-shaped cross section when being made. This is to increase and enhance the treble range's extension. The average playing time is about 150 hours.

SD Stylus Series

Synthetic Unplated Diamond Tip



Synthetic Diamonds refer to diamonds that are artificially created and possess the same chemical composition, crystal structure, as well as optical and physical properties as natural diamonds.

In contrast to Natural Diamonds (ND), which are formed naturally and can vary in hardness from one individual to another, synthetic diamonds are referred to as Synthetic Diamonds (SD) because they offer the advantage of consistent hardness.

DJ Series

Model dedicated for DJ performance



To avoid the stylus from skipping or jumping during scratching on a turntable, the needle pressure for the "DJ SERIES" is calibrated at a higher tracking force than that of genuine stylus. A luminous - glow in the dark type (AURORA) version is also available, which looks fantastic when DJing in a club.

In addition, the N44 series products have a cantilever that is designed to be similar to SHURE's genuine product.

- 1.The cantilever round form
- 2.The height from the record surface to the base of the cantilever
- 3.The insertion angle of the Tip surface

BASIE MODEL

Jazz Cafe "BASIE" operated by Shoji "Swifty" Sugawara BASIE

JAZZ KISSA (CAFE) BASIE is the most popular Jazz Cafe in Japan.

We have developed a "BASIE" model with Shoji Sugawara the owner of Jazz cafe BASIE


► VN35EBN



Jazz Cafe "BASIE" operated by Shoji "Swifty" Sugawara BASIE, is a long-established Jazz Cafe located in Ichinoseki City, Iwate Prefecture, a famous place visited by many music enthusiasts and celebrities. Mr. Shoji Sugawara has been the owner of the cafe for 50 years, and after a long period of development, trial and error, we have finally achieved the precise sound that he has been pursuing.

	Point contact stylus		Line contact stylus
	Conical stylus 0.7mil	Elliptical stylus 0.3mil x 0.7mil	SAS stylus
Front View			
Cross-sectional view			
Contact with records			
Contact surface	23.4 µm ²	20.6 µm ²	62.1 µm ²
L ₁ / L ₂	1	1.8	9

The greater the difference between the cutting of the sound groove of a record and the shape of the stylus tip, distortion does not occur even with high-amplitude playback.



240-RSXC(E)

**RSX
IMPROVED**



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : IM
Cartridge number : XLM/III IMPROVED
Tracking force : 0.75 - 1.5

NUDE

20-6
AN-6



Tip : SAS/B
Knob color : TR/GRN
Cartridge type : MM
Cartridge number :
Tracking force : 1.0 - 1.5

SAS/B

20-11a
AN-11



Tip : NUDE Conical
Knob color : YEL
Cartridge type : VM
Cartridge number :
Tracking force : 3.5

NUDE

20-43
AN-8743



Tip : SAS/B
Knob color : ORG
Cartridge type : MM
Cartridge number :
Tracking force : 1.0 - 1.5

SAS/B

241-01E
S-1000ZEX



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : IM
Cartridge number : 1000ZEX
Tracking force : 0.5 - 1.5

NUDE

241-02E/III
S-2000E/III



Tip : NUDE Elliptical
Knob color : CLR
Cartridge type : IM
Cartridge number : 2000E/III
Tracking force : 0.75 - 1.5

NUDE

	<p>35-37 DSN-37</p>  <p>Tip : NUDE Conical Knob color : TR/BRN Cartridge type : MM Cartridge number : DL-8 Tracking force : 1.7 - 2.3</p> <p>NUDE</p>	<p>35-37 DSN-37</p>  <p>Tip : NUDE Elliptical Knob color : TR/BRN Cartridge type : MM Cartridge number : DL-8 Tracking force : 1.7 - 2.3</p> <p>NUDE</p>	<p>35-40E DSN-40</p>  <p>Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : DL-108D Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>35-40E DSN-40</p>  <p>Tip : NUDE Elliptical Knob color : WHT Cartridge type : MM Cartridge number : DL-108D Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>35-42 DSN-42</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : DL-8A Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>35-42E DSN-42</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : DL-8A Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>35-42E DSN-42</p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : DL-8A Tracking force : 1.7-2.3</p> <p>NUDE</p>
<p>35-42E DSN-42</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : DL-8A Tracking force : 1.7-2.3</p> <p>NUDE</p>	<p>35-48 DSN-48</p>  <p>Tip : SAS/B Knob color : ORG Cartridge type : MM Cartridge number : JM22 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>35-60E DSN-60</p>  <p>Tip : SAS/S Knob color : WHT Cartridge type : MM Cartridge number : DL-60 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>35-60E DSN-60</p>  <p>Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : DL-60 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>35-60E DSN-60</p>  <p>Tip : NUDE Elliptical Knob color : WHT Cartridge type : MM Cartridge number : DL-60 Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>35-65E DSN-65</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : DL-65 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>35-65E DSN-65E</p>  <p>Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : DL-65 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>35-65E DSN-65E</p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : DL-65 Tracking force : 1.5 - 2.1</p> <p>NUDE</p>
<p>35-84a DSN-84</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : VM Cartridge number : Tracking force : 3.0</p> <p>NUDE</p>			

C.E.C

59-7
MC-7



Tip : SAS/B
Knob color : GRY
Cartridge type : MM
Cartridge number : MC7
Tracking force : 1.0 - 1.5

SAS/B

ELAC

131-155
D-155-17



Tip : NUDE Conical
Knob color : BLK
Cartridge type : MM
Cartridge number : STS-155-17
Tracking force : 1.5 - 3.0

NUDE

131-793
DN-793



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : ESG793
Tracking force : 1.0 - 1.5

SAS/B

131-793
DN-793



Tip : NUDE Conical
Knob color : BLK
Cartridge type : MM
Cartridge number : ESG793
Tracking force : 1.0 - 1.5

NUDE

HITACHI
Lo-D

52-23
DS-ST23



Tip : NUDE Conical
Knob color : RED
Cartridge type : MM
Cartridge number : MT-23
Tracking force : 2.0

NUDE

52-24
DS-ST24



Tip : NUDE Conical
Knob color : TR/ORG
Cartridge type : MM
Cartridge number : MT-24
Tracking force : 2.0

NUDE

JICO

MC-Cartridge
**SETO-HORI
REMODEL**



Tip : Micro Ridge
Knob color : Silver
Cartridge type : MC
Cartridge number :
Tracking force : 1.8 - 2.2

Stylus1
Stylus1



Tip : SAS/S
Knob color : BLK
Cartridge type : MM
Cartridge number :
Tracking force : 1.0 - 1.5

SAS/S

Stylus1
Stylus1



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number :
Tracking force : 1.0 - 1.5

SAS/B

KENWOOD
TRIO

55-31
N-31



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : N-31, T-31
Tracking force : 1.0 - 1.5

SAS/B

55-34
N-34



Tip : SAS/B
Knob color : TR/BLU
Cartridge type : MM
Cartridge number : V-34
Tracking force : 1.0 - 1.5

SAS/B

55-43
N-43



Tip : SAS/B
Knob color : ORG
Cartridge type : MM
Cartridge number : V-43
Tracking force : 1.0 - 1.5

SAS/B

55-49
N-49



Tip : SAS/B
Knob color : ORG
Cartridge type : MM
Cartridge number : V-49
Tracking force : 1.0 - 1.5

SAS/B

55-44
N-44



Tip : SAS/B
Knob color : BLU
Cartridge type : MM
Cartridge number : V-44
Tracking force : 1.0 - 1.5

SAS/B

55-39
N-39



Tip : SAS/B
Knob color : ORG
Cartridge type : MM
Cartridge number : V-39
Tracking force : 1.0 - 1.5

SAS/B

55-69
N-69



Tip : NUDE Conical
Knob color : RED
Cartridge type : MM
Cartridge number :
Tracking force : 1.5 - 2.0

NUDE

MICRO

65-P1
V-P1



Tip : NUDE Conical
Knob color : BLK
Cartridge type : MM
Cartridge number : PLUS-1
Tracking force : 2.0

NUDE

MITSUBISHI
DIATONE

51-44
3D-44M



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : MAG-44
Tracking force : 1.0 - 1.5

SAS/B

<p>36-P23E EPS-23ES</p>  <p>Tip : SAS/B Knob color : TR/BLU Cartridge type : MM Cartridge number : EPC-P23 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-P23E EPS-23ES</p>  <p>Tip : SAS/S Knob color : TR/BLU Cartridge type : MM Cartridge number : EPC-P23 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-P23 EPS-23CS</p>  <p>Tip : NUDE Conical Knob color : TR/BLU Cartridge type : MM Cartridge number : EPC-P23 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>	
<p>36-U24/36-U24E EPS-24CS,24ES</p>  <p>Tip : SAS/B Knob color : TR/ORG Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-U24/36-U24E EPS-24CS,24ES</p>  <p>Tip : SAS/S Knob color : TR/ORG Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-U24/36-U24E EPS-24CS,24ES</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>	<p>36-U24/36-U24E EPS-24CS,24ES</p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : EPC-P24 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>
<p>36-U25 EPS-25CS</p>  <p>Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : EPC-P25, H25 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-U25 EPS-25CS</p>  <p>Tip : SAS/S Knob color : TR/BRN Cartridge type : MM Cartridge number : EPC-P25, H25 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-U25 EPS-25ES</p>  <p>Tip : NUDE Elliptical Knob color : TR/BRN Cartridge type : MM Cartridge number : EPC-P25, H25 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>	<p>36-P30 EPS-30ES</p>  <p>Tip : SAS/S Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>36-P30 EPS-30ES</p>  <p>Tip : SAS/B Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-P30 EPS-30CS</p>  <p>Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0</p> <p>NUDE</p>	<p>36-P30 EPS-30CS</p>  <p>Tip : NUDE Elliptical Knob color : BLU Cartridge type : MM Cartridge number : EPC-P30, P30S Tracking force : 1.0</p> <p>NUDE</p>	<p>36-P33 EPS-33CS</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : EPC-P33, EPC-P33S Tracking force : 1.0</p> <p>NUDE</p>
<p>36-P34 EPS-34CS</p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : VM Cartridge number : Tracking force : 1.3</p> <p>NUDE</p>	<p>36-46 EPS-46STSD</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : P Cartridge number : EPC-451C, EPC-460C Tracking force : 3.0 - 4.0</p> <p>NUDE</p>	<p>36-52 EPS-51CS</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : EPC-51CS Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-52 EPS-52STDD</p>  <p>Tip : NUDE Conical Knob color : TR/ORG Cartridge type : MM Cartridge number : EPC-86MAD EPC-440C, EPC-441C Tracking force : 2.0 - 2.5</p> <p>NUDE</p>
<p>36-P55 EPS-55CS</p>  <p>Tip : NUDE Conical Knob color : TR/GRN Cartridge type : MM Cartridge number : Tracking force : 2.5</p> <p>NUDE</p>	<p>36-202ED EPS-202ED</p>  <p>Tip : SAS/B Knob color : CLR Cartridge type : MM Cartridge number : EPC-P202C Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-202ED EPS-202ED</p>  <p>Tip : SAS/S Knob color : CLR Cartridge type : MM Cartridge number : EPC-P202C Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-202ED EPS-202ED</p>  <p>Tip : NUDE Elliptical Knob color : CLR Cartridge type : MM Cartridge number : EPC-P202C Tracking force : 1.0 - 1.5</p> <p>NUDE</p>

<p>36-205ED EPS-205ED</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : EPC-205CIIS Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-205ED EPS-205ED</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : EPC-205CIIS Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>36-205EX EPS-205EX</p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : EPC-205CIIX, EPC-205CIIIL EPC-205CIIH, EPC-205CMK3 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-205EX EPS-205EX</p>  <p>Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : EPC-205CIIX, EPC-205CIIIL EPC-205CIIH, EPC-205CMK3 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>36-205EX EPS-205EX</p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : EPC-205CIIX, EPC-205CIIIL EPC-205CIIH, EPC-205CMK3 Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>36-206C EPS-206C</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : EPC-P206CK Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-206C EPS-206C</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : EPC-P206CK Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-207ED EPS-207ED</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : EPC-207 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>36-207ED EPS-207ED</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : EPC-207 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>36-207ED EPS-207ED</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : EPC-207 Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>36-270 EPS-270ED</p>  <p>Tip : SAS/B Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270/ II Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>36-270 EPS-270ED</p>  <p>Tip : SAS/S Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270/ II Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>36-270 EPS-270SD</p>  <p>Tip : NUDE Conical Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270D, EPC-271D Tracking force : 1.5 - 2.0</p> <p>NUDE</p>	<p>36-270ED EPS-270ED</p>  <p>Tip : NUDE Elliptical Knob color : TR/GRN Cartridge type : MM Cartridge number : EPC-270/ II Tracking force : 1.5 - 2.0</p> <p>NUDE</p>		

ortofon

242-N15/II
N-15/II



Tip : NUDE Conical
Knob color : WHT
Cartridge type : MM
Cartridge number : F-15MKII, F150MKII
Tracking force : 1.5



242-N20E/II
N-20E/II



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : MM
Cartridge number : VMS-20E/ II
Tracking force : 1.0



242-N30E/II
N-30E/II



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : MM
Cartridge number : VMS-30E/ II
Tracking force : 1.5-3.0



242-20
STYLUS 20



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : MM
Cartridge number : CONCORDE20
Tracking force : 1.25-1.8



242-30
STYLUS 30



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : MM
Cartridge number : CONCORDE30
Tracking force : 1.25-2.0



PICKERING

174-15T/DJ
D1507DJ



Tip : NUDE Conical
Knob color : WHT
Cartridge type : MM
Cartridge number : V15/AT1
Tracking force : 2.0 - 5.0



174-D15/DJ
D150DJ



Tip : NUDE Conical
Knob color : WHT
Cartridge type : IM
Cartridge number : XV-15/150
Tracking force : 2.0 - 4.0



174-D62E
D625



Tip : NUDE Elliptical
Knob color : BLK
Cartridge type : IM
Cartridge number : XV-15/625E
Tracking force : 0.75 - 1.5



174-PD07C
PD-07C



Tip : NUDE Conical
Knob color : BLK
Cartridge type : MM
Cartridge number : NP/ACS
Tracking force : 3.0 - 7.0



174-PDE
PDE



Tip : NUDE Elliptical
Knob color : YEL
Cartridge type : MM
Cartridge number : P/ATE · ATE-1
Tracking force : 0.75 - 3.0



173-400
D-400



Tip : SAS/B
Knob color : GRY
Cartridge type : MM
Cartridge number : GP-400
Tracking force : 1.5 - 3.0

SAS/B

173-400/II
D-400/II



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : GP-400/II
Tracking force : 1.5 - 3.0



















SAS/S

173-400/III
D-400/III



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : GP-400/III
Tracking force : 1.5 - 3.0

SAS/B

	<p>53-10 PN-10(V)</p>  <p>Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : PC-10 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-10 PN-10(V)</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : PC-10 Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>53-11 PN-11</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : PC-11 Tracking force : 2.5 - 3.5</p> <p>NUDE</p>
<p>53-11 PN-11E</p>  <p>Tip : NUDE Elliptical Knob color : GRY Cartridge type : MM Cartridge number : PC-11 Tracking force : 2.5 - 3.5</p> <p>NUDE</p>	<p>53-12 PN-12</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : PC-12 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-15 PN-15</p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : PC-15 Tracking force : 1.7 - 2.3</p> <p>NUDE</p>	<p>53-110 PN-110</p>  <p>Tip : SAS/B Knob color : BLU Cartridge type : MM Cartridge number : PC-110 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>53-110 PN-110</p>  <p>Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : PC-110 Tracking force : 1.8 - 2.5</p> <p>NUDE</p>	<p>53-110 PN-110</p>  <p>Tip : NUDE Elliptical Knob color : BLU Cartridge type : MM Cartridge number : PC-110 Tracking force : 1.8 - 2.5</p> <p>NUDE</p>	<p>53-110/II PN-110/II</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : PC-110/II Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-110/II PN-110/II</p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : PC-110/II Tracking force : 1.5 - 2.5</p> <p>NUDE</p>
<p>53-110/II PN-110/II</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : PC-110/II Tracking force : 1.5 - 2.5</p> <p>NUDE</p>	<p>53-150 PN-150</p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : PC-150 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-150 PN-150</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : PC-150 Tracking force : 1.7 - 2.5</p> <p>NUDE</p>	<p>53-150 PN-150</p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : PC-150 Tracking force : 1.7 - 2.5</p> <p>NUDE</p>
<p>53-200 PN-200</p>  <p>Tip : SAS/B Knob color : GRN Cartridge type : MM Cartridge number : PC-200, PXT-958 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-200 PN-200</p>  <p>Tip : NUDE Conical Knob color : GRN Cartridge type : MM Cartridge number : PC-200, PXT-958 Tracking force : 1.7 - 2.3</p> <p>NUDE</p>	<p>53-210a PN-210</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : VM Cartridge number : PXV-1003 Tracking force : 2.5</p> <p>NUDE</p>	<p>53-301 PN-301</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : PXV-963 Tracking force : 1.25</p> <p>NUDE</p>
<p>53-330 PN-330</p>  <p>Tip : SAS/B Knob color : DK/GRN Cartridge type : MM Cartridge number : PC-330 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>53-330 PN-330</p>  <p>Tip : SAS/S Knob color : DK/GRN Cartridge type : MM Cartridge number : PC-330 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>53-330 PN-330</p>  <p>Tip : NUDE Conical Knob color : DK/GRN Cartridge type : MM Cartridge number : PC-330 Tracking force : 1.4 - 2.0</p> <p>NUDE</p>	<p>53-330 PN-330E</p>  <p>Tip : NUDE Elliptical Knob color : BRN Cartridge type : MM Cartridge number : PC-330 Tracking force : 1.4 - 2.0</p> <p>NUDE</p>

53-330/II
PN-330/II



Tip : SAS/B
Knob color : TR/SMK
Cartridge type : MM
Cartridge number : PC-330/II
Tracking force : 1.0 - 1.5

SAS/B

53-330/II
PN-330/II



Tip : SAS/S
Knob color : TR/SMK
Cartridge type : MM
Cartridge number : PC-330/II
Tracking force : 1.0 - 1.5

SAS/S

53-330/II
PN-330/II



Tip : NUDE Conical
Knob color : TR/SMK
Cartridge type : MM
Cartridge number : PC-330/II
Tracking force : 1.0 - 1.8

NUDE

53-330/II
PN-330/II



Tip : NUDE Elliptical
Knob color : TR/SMK
Cartridge type : MM
Cartridge number : PC-330/II
Tracking force : 1.0 - 1.8

NUDE

53-1004a
PZP-1004



Tip : NUDE Conical
Knob color : YEL
Cartridge type : VM
Cartridge number :
Tracking force : 2.5 - 3.5

NUDE

SANSUI

56-45
SN-45



Tip : SAS/B
Knob color : BLK
Cartridge type : MM
Cartridge number : SV-45
Tracking force : 1.0 - 1.5

SAS/B

56-45
SN-42



Tip : SAS/B
Knob color : CLEAR
Cartridge type : MM
Cartridge number : SV42
Tracking force : 1.5 -3.0

SAS/B

SHARP

50-705
STY-705



Tip : SAS/B
Knob color : BLU
Cartridge type : MM
Cartridge number : CART-705
Tracking force : 1.0 - 1.5

SAS/B

Cartridge + Stylus + Headshell
OMNIA J44D
IMP BLACK



Cartridge : J44D (MM)
Stylus : N-44G IMP NUDE
Tp : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 0.75-1.5



Cartridge + Stylus + Headshell
OMNIA J44D
IMP BLACK



Cartridge : J44D (MM)
Stylus : N-44G IMP SD
Tp : SD Conical
Headshell : Black CSS-JHSB
Tracking force : 0.75-1.5



Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP BLACK



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP NUDE
Tp : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP BLACK



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP SD
Tp : SD Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44D AURORA
IMP BLACK



Cartridge : J44D (MM)
Stylus : N-44G AURORA IMP NUDE
Tp : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44D
IMP SILVER



Cartridge : J44D (MM)
Stylus : N-44G IMP NUDE
Tp : NUDE Conical
Headshell : Silver CSS-JHSS
Tracking force : 0.75-1.5



Cartridge + Stylus + Headshell
OMNIA J44D
IMP SILVER



Cartridge : J44D (MM)
Stylus : N-44G IMP SD
Tp : SD Conical
Headshell : Silver CSS-JHSS
Tracking force : 0.75-1.5



Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP SILVER



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP NUDE
Tp : NUDE Conical
Headshell : Silver CSS-JHSS
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44D DJ
IMP SILVER



Cartridge : J44D (MM)
Stylus : N-44G DJ IMP SD
Tp : SD Conical
Headshell : Silver CSS-JHSS
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44D AURORA
IMP BLACK



Cartridge : J44D (MM)
Stylus : N-44G AURORA IMP NUDE
Tp : NUDE Conical
Headshell : Silver CSS-JHSS
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP BLACK



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP NUDE
Tp : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP BLACK



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP SD
Tp : SD Conical
Headshell : Black CSS-JHSB
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP BLACK



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP NUDE
Tp : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP BLACK



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP SD
Tp : SD Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7 AURORA
IMP BLACK



Cartridge : J44A 7 (MM)
Stylus : N-44-7 AURORA IMP NUDE
Tp : NUDE Conical
Headshell : Black CSS-JHSB
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP SILVER



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP NUDE
Tp : NUDE Conical
Headshell : Silver CSS-JHSS
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7
IMP SILVER



Cartridge : J44A 7 (MM)
Stylus : N-44-7 IMP SD
Tp : SD Conical
Headshell : Silver CSS-JHSS
Tracking force : 1.5-3.0



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP SILVER



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP NUDE
Tp : NUDE Conical
Headshell : Silver CSS-JHSS
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7 DJ
IMP SILVER



Cartridge : J44A 7 (MM)
Stylus : N-44-7 DJ IMP SD
Tp : SD Conical
Headshell : Silver CSS-JHSS
Tracking force : 3.5-4.5



Cartridge + Stylus + Headshell
OMNIA J44A 7 AURORA
IMP SILVER



Cartridge : J44A 7 (MM)
Stylus : N-44-7 AURORA IMP NUDE
Tp : NUDE Conical
Headshell : Silver CSS-JHSS
Tracking force : 3.5-4.5



Cartridge + Stylus
J44D IMP



Cartridge : J44D (MM)
Stylus : N-44G IMP NUDE
Tp : NUDE Conical
Tracking force : 0.75-1.5



Cartridge + Stylus
J44D IMP



Cartridge : J44D (MM)
Stylus : N-44G IMP SD
Tp : SD Conical
Tracking force : 0.75-1.5



Cartridge + Stylus
J44D DJ IMP














































Cartridge : J44D (MM)
Stylus : N-44G IMP DJ NUDE
Tp : NUDE Conical
Tracking force : 3.5-1.5










































<p><u>Cartridge + Stylus</u> J44D DJ IMP</p>  <p>Cartridge : J44D (MM) Stylus : N44G IDJ MP SD Tip : SD Conical Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p><u>Cartridge + Stylus</u> J44D AURORA IMP</p>  <p>Cartridge : J44D (MM) Stylus : N44G AURORA IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p><u>Cartridge + Stylus</u> J44A 7 IMP</p>  <p>Cartridge : J44A 7 (MM) Stylus : N44A 7 IMP NUDE Tip : NUDE Conical Tracking force : 1.5-1.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> J44A 7 IMP</p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Tracking force : 1.5-3.0</p> <p>SD</p>
<p><u>Cartridge + Stylus</u> J44A 7 DJ IMP</p>  <p>Cartridge : J44A 7 (MM) Stylus : N44A 7 IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p><u>Cartridge + Stylus</u> J44A 7 DJ IMP</p>  <p>Cartridge : J44A 7 (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p><u>Cartridge + Stylus</u> J44A 7 AURORA IMP</p>  <p>Cartridge : J44A 7 (MM) Stylus : N44A 7 AURORA IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p><u>Cartridge</u> J44 D Cartridge Only</p>  <p>Cartridge : J44D (MM) Stylus : Tip : Tracking force :</p>
<p><u>Cartridge</u> J44 A 7 Cartridge Only</p>  <p>Cartridge : J44A 7 (MM) Stylus : Tip : Tracking force :</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 IMP BLACK</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 IMP BLACK</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>SD</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 IMP SILVER</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 IMP SILVER</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP SD Tip : SD Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>SD</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 KUROGAKI BLACK</p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 KUROGAKI SILVER</p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 USHIKOROSHI BLACK</p>  <p>Cartridge : J50 (MM) Stylus : N44 USHIKOROSHI NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 USHIKOROSHI SILVER</p>  <p>Cartridge : J50 (MM) Stylus : N44 USHIKOROSHI NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 YURUSHI-IRO BLACK</p>  <p>Cartridge : J50 (MM) Stylus : N44 YURUSHI-IRO NUDE Tip : NUDE Conical Headshell : SME Black CSS-JHSME-B Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus + Headshell</u> OMNIA J50 YURUSHI-IRO SILVER</p>  <p>Cartridge : J50 (MM) Stylus : N44 YURUSHI-IRO NUDE Tip : NUDE Conical Headshell : SME Silver CSS-JHSME-S Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> J50 IMP</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p><u>Cartridge + Stylus</u> J50 IMP</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE Tip : SD Conical Tracking force : 1.5-3.0</p> <p>SD</p>	<p><u>Cartridge + Stylus</u> J50 KUROGAKI</p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> J50 USHIKOROSHI</p>  <p>Cartridge : J50 (MM) Stylus : N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p><u>Cartridge + Stylus</u> J50 YURUSHI-IRO</p>  <p>Cartridge : J50 (MM) Stylus : N44 YURUSHI-IRO NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>

<p>Cartridge + Stylus J50 7Kduet</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE N44 KUROGAKI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 7U duet</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 7Y duet</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE N44 YURUSHI-IROI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 KU duet</p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p>Cartridge + Stylus J50 KY duet</p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 UY duet</p>  <p>Cartridge : J50 (MM) Stylus : N44 USHIKOROSHI NUDE N44 YURUSHI-IROI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge + Stylus J50 7KU trio</p>  <p>Cartridge : J50 (MM) Stylus : N-44-7 IMP NUDE N44 KUROGAKI NUDE N44 USHIKOROSHI NUDE Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>	<p>Cartridge J50 KUY trio</p>  <p>Cartridge : J50 (MM) Stylus : N44 KUROGAKI NUDE N44 USHIKOROSHI NUDE N44 YURUSHI-IROI Tip : NUDE Conical Tracking force : 1.5-3.0</p> <p>NUDE</p>
<p>Cartridge J50 Cartridge Only</p>  <p>Cartridge : J50 (MM) Stylus : Tip : Tracking force :</p>	<p>Cartridge + Stylus + Headshell OMNIA IMPACT BLACK</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : Black CSS-JH5B Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p>Cartridge + Stylus + Headshell OMNIA IMPACT BLACK</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : Black CSS-JH5B Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p>Cartridge + Stylus + Headshell OMNIA IMPACT SILVER</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Headshell : Silver CSS-JH5S Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>
<p>Cartridge + Stylus + Headshell OMNIA IMPACT SILVER</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Headshell : Silver CSS-JH5S Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p>Cartridge + Stylus IMPACT</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP NUDE Tip : NUDE Conical Tracking force : 3.5-4.5</p> <p>DJ NUDE</p>	<p>Cartridge + Stylus IMPACT</p>  <p>Cartridge : IMPACT (MM) Stylus : N-44-7 DJ IMP SD Tip : SD Conical Tracking force : 3.5-4.5</p> <p>DJ SD</p>	<p>Cartridge IMPACT Cartridge Only</p>  <p>Cartridge : J44A 7 (MM) Stylus : Tip : Tracking force :</p>
<p>192-44G N44G</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-44G IMP N44G IMP</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-44G IMP N44G IMP</p>  <p>Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5</p> <p>SD</p>	<p>192-44G IMP N44G IMP MONO</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 0.75 - 1.5</p> <p>NUDE</p>
<p>192-44G/DJ N44G/DJ</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>NUDE</p>	<p>192-44G/DJ IMP N44G/DJ IMP</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>NUDE</p>	<p>192-44G/DJ IMP N44G/DJ IMP</p>  <p>Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>DJ SD</p>	<p>192-44G/DJ IMP 2PCS N44G/DJ IMP 2PCS</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT Tracking force : 3.5 - 4.5</p> <p>NUDE</p>

<p>192-44G/DJ IMP 2PCS N44G/DJ IMP 2PCS</p>  <p>Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT</p> <p>Tracking force : 3.5 - 4.5</p> <p>SD</p>	<p>192-44G/AURORA N44G/AURORA</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT</p> <p>Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44G/AURORA IMP N44G/AURORA IMP</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT</p> <p>Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44G/AURORA IMP 2PCS N44G/AURORA IMP 2PCS</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44D J50, IMPACT</p> <p>Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>
<p>192-44-7 N44-7</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT</p> <p>Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-44-7/IMP N44-7 IMP</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT</p> <p>Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-44-7 IMP N44-7 IMP</p>  <p>Tip : SD Conical Knob color : TR.BLUE Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT</p> <p>Tracking force : 0.75 - 1.5</p> <p>SD</p>	<p>192-44-7/IMP N44-7 IMP</p>  <p>Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT</p> <p>Tracking force : 1.5 - 3.0</p> <p>SAS/B</p>
<p>192-44-7/IMP N44-7 IMP</p>  <p>Tip : SAS/S Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT</p> <p>Tracking force : 1.5 - 3.0</p> <p>SAS/S</p>	<p>192-44-7/IMP ONLY JICO WEBSITE N44-7 IMP</p>  <p>Tip : SAS/R Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT</p> <p>Tracking force : 1.5 - 3.0</p> <p>SAS/R</p>	<p>192-44-7/DJ N44-7/DJ</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT</p> <p>Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44-7/DJ IMP N44-7/DJ IMP</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT</p> <p>Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>
<p>192-44-7/DJ IMP N44-7/DJ IMP</p>  <p>Tip : SD Conical Knob color : BLUE Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT</p> <p>Tracking force : 3.5 - 4.5</p> <p>DJ SD</p>	<p>192-44-7/DJ IMP N44-7/DJ IMP 2PCS</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT</p> <p>Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44-7/DJ IMP N44-7/DJ IMP 2PCS</p>  <p>Tip : SD Conical Knob color : BLUE Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT</p> <p>Tracking force : 3.5 - 4.5</p> <p>DJ SD</p>	<p>192-44-7/AURORA N44-7/AURORA</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT</p> <p>Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>
<p>192-44-7/AURORA IMP N44-7/AURORA IMP</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44G, J44A 7 J50, IMPACT</p> <p>Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44-7/AURORA IMP 2PCS N44-7/AURORA IMP 2PCS</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : M44-7, J44A 7 J50, IMPACT</p> <p>Tracking force : 3.5 - 4.5</p> <p>DJ NUDE</p>	<p>192-44E N44E</p>  <p>Tip : NUDE Elliptical Knob color : BROWN Cartridge type : MM Cartridge number : M44E</p> <p>Tracking force : 1.75 - 4.0</p> <p>NUDE</p>	<p>192-44E IMP N44E IMP</p>  <p>Tip : NUDE Elliptical Knob color : BROWN Cartridge type : MM Cartridge number : M44E</p> <p>Tracking force : 1.75 - 4.0</p> <p>NUDE</p>
<p>192-44GX N44GX</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : M44GX</p> <p>Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-44GX N44GX</p>  <p>Tip : SAS/B Knob color : GRY Cartridge type : MM Cartridge number : M44GX</p> <p>Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-44-7X N44-7X</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : M44-7X</p> <p>Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-44-7X N44-7X</p>  <p>Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : M44-7X</p> <p>Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>

<p>192-44-7X N44-7X</p>  <p>Tip : SAS/B Knob color : WHT Cartridge type : MM Cartridge number : M44-7X Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-55E N55E</p>  <p>Tip : NUDE Elliptical Knob color : YELLOW Cartridge type : MM Cartridge number : M55E Tracking force : 0.75 - 2.0</p> <p>NUDE</p>	<p>192-55E N55E IMP</p>  <p>Tip : NUDE Elliptical Knob color : YELLOW Cartridge type : MM Cartridge number : M55E Tracking force : 0.75 - 2.0</p> <p>NUDE</p>	<p>192-75-6 N75-6</p>  <p>Tip : NUDE Conical Knob color : BGE Cartridge type : MM Cartridge number : M-75MB Tracking force : 1.0 - 1.5</p> <p>NUDE</p>
<p>192-75-6 N75-6</p>  <p>Tip : SAS/B Knob color : BGE Cartridge type : MM Cartridge number : M-75MB Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-75-6 N75-6</p>  <p>Tip : SAS/S Knob color : BGE Cartridge type : MM Cartridge number : M-75MB Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-75B/II N-75B/II</p>  <p>Tip : NUDE Conical Knob color : BGE Cartridge type : MM Cartridge number : M-75MB/II Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-75B/II N-75B/II</p>  <p>Tip : SAS/B Knob color : BGE Cartridge type : MM Cartridge number : M-75MB/II Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>192-75B/II N-75B/II</p>  <p>Tip : SAS/S Knob color : BGE Cartridge type : MM Cartridge number : M-75MB/II Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-75ED N-75ED</p>  <p>Tip : NUDE Elliptical Knob color : YELLOW Cartridge type : MM Cartridge number : M-75ED/II Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-75ED/II N-75ED/II</p>  <p>Tip : NUDE Elliptical Knob color : BLACK Cartridge type : MM Cartridge number : M-75ED/II Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-75ED/II N-75ED/II</p>  <p>Tip : SAS/B Knob color : BLACK Cartridge type : MM Cartridge number : M-75ED/II Tracking force : 0.75 - 1.5</p> <p>SAS/B</p>
<p>192-75J/II N-75EJ/II</p>  <p>Tip : NUDE Elliptical Knob color : LT/GREEN Cartridge type : MM Cartridge number : M-75EJ/II Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-N75HE N75HE</p>  <p>Tip : SAS/B Knob color : LT/GRY Cartridge type : MM Cartridge number : M75HE Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-N75HE N75HE</p>  <p>Tip : SAS/S Knob color : LT/GRY Cartridge type : MM Cartridge number : M75HE Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-N91E N-91E</p>  <p>Tip : NUDE Elliptical Knob color : BLACK Cartridge type : MM Cartridge number : M91E Tracking force : 0.75 - 1.5</p> <p>NUDE</p>
<p>192-N91ED N-91ED</p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : M91ED Tracking force : 0.75-1.5</p> <p>NUDE</p>	<p>192-N91ED N-91ED</p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : M91ED Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-N91ED N-91ED</p>  <p>Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : M91ED Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-N92E N-92E</p>  <p>Tip : NUDE Elliptical Knob color : RED Cartridge type : MM Cartridge number : M92E Tracking force : 1.25</p> <p>NUDE</p>
<p>192-N92E N-92E</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : M92E Tracking force : 1.25</p> <p>SAS/B</p>	<p>192-95ED N-95ED</p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : M-95ED Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-95ED N-95ED</p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : M-95ED Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-95ED N-95ED</p>  <p>Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : M-95ED Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>

<p>192-N95HE N-95HE</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : M95HE Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-N95HE N-95HE</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : M95HE Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-N97xE N-97xE</p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : M-97xE Tracking force : 1.25</p> <p>NUDE</p>	<p>192-N97xE N-97xE</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : M-97xE Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>192-N97xE N-97xE</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : M-97xE Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-N97HE N-97HE</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : M-97HE Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-N97HE N-97HE</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : M-97HE Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-104E N-104E</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : M104E Tracking force : 1.0 - 1.5</p> <p>NUDE</p>
<p>192-104E N-104E</p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : M104E Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-110HE N-110HE</p>  <p>Tip : NUDE Elliptical Knob color : WHITE Cartridge type : MM Cartridge number : M110HE Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>192-110HE N-110HE</p>  <p>Tip : SAS/B Knob color : WHITE Cartridge type : MM Cartridge number : M110HE Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-110HE N-110HE</p>  <p>Tip : SAS/S Knob color : WHITE Cartridge type : MM Cartridge number : M110HE Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>192-NDC-ED NDC-ED</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : Designer ED Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-NDC-EJ NDC-EJ</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : Designer EJ Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-NDC-EJ NDC-EJ</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : Designer EJ Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-NDC-EJ NDC-EJ</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : Designer EJ Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>192-WHLB N-WHLB</p>  <p>Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p>DJ NUDE</p>	<p>192-WHLB N-WHLB 2PCS</p>  <p>Tip : NUDE Conical Knob color : BLU Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p>DJ NUDE</p>	<p>192-WHLB N-WHLB</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p>DJ NUDE</p>	<p>192-WHLB N-WHLB 2PCS</p>  <p>Tip : NUDE Conical Knob color : FLUORESCENT Cartridge type : MM Cartridge number : WHITELABEL Tracking force : 1.5 - 3.0</p> <p>DJ NUDE</p>
<p>192-VN3G VN3G</p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : V15 type3 G Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-35C SS-35C</p>  <p>Tip : SAS/B Knob color : LT/BLU Cartridge type : MM Cartridge number : SC35C Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-35C SS-35C</p>  <p>Tip : SAS/S Knob color : LT/BLU Cartridge type : MM Cartridge number : SC35C Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-VN5MR VN5MR HG</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>

<p>192-VN5MR HG VN5MR HG</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-VN5xMR HG VN5xMR HG</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V15/VxMR · VSTIII Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-VN5xMR HG VN5xMR HG</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V15/VxMR · VSTIII Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-VN15E VN-15E</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V-15/II Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>192-VN15E VN-15E</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>192-VN35E VN35E</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 0.75 - 1.5</p> <p>NUDE</p>	<p>192-VN35E VN-35E</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-VN35E VN-35E</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V-15/III Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>192-VN35EBN VN35EBN</p>  <p>Tip : NUDE Elliptical Knob color : RED Cartridge type : MM Cartridge number : V-15/III Tracking force : 0.75 - 1.25</p> <p>NUDE</p>	<p>192-VN45HE VN45HE</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : MM Cartridge number : V-15/IV Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>192-VN45HE VN45HE</p>  <p>Tip : SAS/B Knob color : BLK Cartridge type : MM Cartridge number : V-15/IV Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>192-VN45HE VN45HE</p>  <p>Tip : SAS/S Knob color : BLK Cartridge type : MM Cartridge number : V-15/IV Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>192-N44 KUROGAKI N44 KUROGAKI 黒柿</p>  <p>Tip : NUDE Conic Knob color : WHT Cartridge type : MM Cartridge number : J44A 7,J44D,J50 IMPACT,M44G,M44-7 Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-VN35 KUROGAKI VN35 KUROGAKI 黒柿</p>  <p>Tip : NUDE Conic Knob color : Cartridge type : MM Cartridge number : V15/III Tracking force : 0.75 - 1.25</p> <p>NUDE</p>	<p>192-VN45 KUROGAKI VN45 KUROGAKI 黒柿</p>  <p>Tip : NUDE Conical Knob color : Cartridge type : MM Cartridge number : V15/IV Tracking force : 0.75 - 1.25</p> <p>NUDE</p>	<p>192-VN5 KUROGAKI VN5 KUROGAKI 黒柿</p>  <p>Tip : NUDE Conical Knob color : Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 0.75 - 1.25</p> <p>NUDE</p>
<p>192-VN5x KUROGAKI VN5x KUROGAKI 黒柿</p>  <p>Tip : NUDE Conical Knob color : Cartridge type : MM Cartridge number : V15/VxMR · VSTIII Tracking force : 0.75 - 1.25</p> <p>NUDE</p>	<p>192-N44 USHIKOROSHI N44 USHIKOROSHI 牛殺</p>  <p>Tip : NUDE Conical Knob color : TR/RED Cartridge type : MM Cartridge number : J44A 7,J44D,J50 IMPACT,M44G,M44-7 Tracking force : 1.5 - 3.0</p> <p>NUDE</p>	<p>192-VN35 USHIKOROSHI VN35 USHIKOROSHI 牛殺</p>  <p>Tip : NUDE Conical Knob color : TR/RED Cartridge type : MM Cartridge number : V15/III Tracking force : 0.75 - 1.25</p> <p>NUDE</p>	<p>192-VN45 USHIKOROSHI VN45 USHIKOROSHI 牛殺</p>  <p>Tip : NUDE Conical Knob color : TR/RED Cartridge type : MM Cartridge number : V15/IV Tracking force : 0.75 - 1.25</p> <p>NUDE</p>
<p>192-VN5 USHIKOROSHI VN5 USHIKOROSHI 牛殺</p>  <p>Tip : NUDE Conical Knob color : TR/RED Cartridge type : MM Cartridge number : V15/V, V15/VMR, VST-V, V15/V-B, V15/V-G, ULTRA500 Tracking force : 0.75 - 1.25</p> <p>NUDE</p>	<p>192-VN5x USHIKOROSHI VN5x USHIKOROSHI 牛殺</p>  <p>Tip : NUDE Conical Knob color : TR/RED Cartridge type : MM Cartridge number : V15/VxMR · VSTIII Tracking force : 0.75 - 1.25</p> <p>NUDE</p>	<p>192-N44 YURUSHI-IRO N44 YURUSHI-IRO 聴色</p>  <p>Tip : NUDE Conical Knob color : PINK Cartridge type : MM Cartridge number : J44A 7,J44D,J50 IMPACT,M44G,M44-7 Tracking force : 0.75 - 1.25</p> <p>NUDE</p>	<p>192-VN35 YURUSHI-IRO VN35 YURUSHI-IRO 聴色</p>  <p>Tip : NUDE Conical Knob color : PINK Cartridge type : MM Cartridge number : V15/III Tracking force : 0.75 - 1.25</p> <p>NUDE</p>

192-VN45 YURUSHI-IRO
VN45 YURUSHI-IRO 聴色



NUDE

Tip : NUDE Conical
Knob color : PINK
Cartridge type : MM
Cartridge number : V15/IV
Tracking force : 0.75 - 1.25

192-VN5 YURUSHI-IRO
VN5 YURUSHI-IRO 聴色



NUDE






















Tip : NUDE Conical
Knob color : PINK
Cartridge type : MM
Cartridge number : V15/V, V15/VMR,
VST-V, V15/V-B, V15/V-G, ULTRA500
Tracking force : 0.75 - 1.25



192-VN5x YURUSHI-IRO
VN5x YURUSHI-IRO 聴色






NUDE

Tip : NUDE Conical
Knob color : PINK
Cartridge type : MM
Cartridge number : V15/VxMR · VSTIII
Tracking force : 0.75 - 1.25

	<p>39-14 ND-14G</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : VL-14GS(II) Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-15 ND-15G</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : VL-15G, XL-15 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-15 ND-15G</p>  <p>Tip : SAS/S Knob color : YEL Cartridge type : MM Cartridge number : VL-15G, XL-15 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>39-15 ND-15G</p>  <p>Tip : NUDE Conical Knob color : RED Cartridge type : MM Cartridge number : VL-15G, XL-15 Tracking force : 1.2 - 2.5</p> <p>NUDE</p>	<p>39-30E ND-15GE</p>  <p>Tip : NUDE Elliptical Knob color : RED Cartridge type : MM Cartridge number : VL-15G, XL-15 Tracking force : 1.2 - 2.5</p> <p>NUDE</p>	<p>39-25E ND-25E</p>  <p>Tip : NUDE Elliptica. Knob color : GRAY Cartridge type : MM Cartridge number : XL-25(A) Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>39-30E ND-30E</p>  <p>Tip : SAS/B Knob color : LT/BLU Cartridge type : MM Cartridge number : XL-30 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
<p>39-35E ND-35E</p>  <p>Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-35(E) Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-45X ND-45E</p>  <p>Tip : SAS/B Knob color : TR/RED Cartridge type : MM Cartridge number : XL-45(E) Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-45X ND-45X</p>  <p>Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-45 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-45X ND-45X</p>  <p>Tip : SAS/S Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-45 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>39-45X/II E ND-45X/ II</p>  <p>Tip : SAS/B Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-45/II Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-45X/II E ND-45X/ II</p>  <p>Tip : SAS/S Knob color : TR/BRN Cartridge type : MM Cartridge number : XL-45/II Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>39-50X(E) ND-50X</p>  <p>Tip : SAS/B Knob color : TR/ORG Cartridge type : MM Cartridge number : XL-50 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-50X(E) ND-50X</p>  <p>Tip : SAS/S Knob color : TR/RED Cartridge type : MM Cartridge number : XL-50 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>
<p>39-70X ND-70G</p>  <p>Tip : SAS/B Knob color : TR/RED Cartridge type : MM Cartridge number : XL-70 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-108G ND-108G</p>  <p>Tip : SAS/B Knob color : REF Cartridge type : MM Cartridge number : VX108, VX13P Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-142a ND-124P</p>  <p>Tip : SAS/B Knob color : ORG Cartridge type : MM Cartridge number : NS-12 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-142a ND-142G</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : VL-42G Tracking force : 2.5 - 3.5</p> <p>NUDE</p>
<p>39-150 ND-150G</p>  <p>Tip : SAS/B Knob color : TR/RED Cartridge type : VM Cartridge number : XL-150G Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>39-250E ND-250E</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : VN Cartridge number : VL-55G, PSV-800 Tracking force : 2.5 - 3.5</p> <p>NUDE</p>	<p>39-250E ND-250E</p>  <p>Tip : SAS/B Knob color : YEL Cartridge type : MM Cartridge number : XL-20, SXL20G Tracking force : 2.0 - 3.0</p> <p>SAS/B</p>	<p>39-250E CN-250E</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : XL-20, SXL20G Tracking force : 2.0 - 3.0</p> <p>NUDE</p>



<p>39-234 CN-234</p>  <p>Tip : NUDE Conical Knob color : RED Cartridge type : MM Cartridge number : Tracking force : 2.0 - 3.0</p> <p>NUDE</p>	<p>39-251 CN-251</p>  <p>Tip : NUDE Conical Knob color : RED Cartridge type : MM Cartridge number : Tracking force : 2.0 - 3.0</p> <p>NUDE</p>
---	---

<p>Stanton</p>	<p>243-51AL/DJ D5107AL/DJ</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : 500ML Tracking force : 3.0 - 7.0</p> <p>DJ NUDE</p>	<p>243-68/DJ D6800SL/DJ</p>  <p>Tip : NUDE Conical Knob color : WHT Cartridge type : MM Cartridge number : 681EL Tracking force : 4.0</p> <p>DJ NUDE</p>	<p>243-68EEE D6800EEE</p>  <p>Tip : NUDE Elliptical Knob color : BLK Cartridge type : IM Cartridge number : 681EEE Tracking force : 0.75 - 1.5</p> <p>NUDE</p>
-----------------------	---	--	--

<p>TOSHIBA Aurex</p>	<p>37-210 N-210C</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : C-210M.C-230M Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>37-250 N-250C</p>  <p>Tip : SAS/B Knob color : TR.BLK Cartridge type : MM Cartridge number : C-250M Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>
---------------------------------	---	---

Victor
JVC

<p>30-Z1 DT-Z1</p>  <p>Tip : SAS/B Knob color : CLEAR Cartridge type : MM Cartridge number : Z1, Z1D Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>30-Z1 DT-Z1</p>  <p>Tip : SAS/S Knob color : TR/ORG Cartridge type : MM Cartridge number : Z1, Z1D Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>30-Z1E DT-Z1E</p>  <p>Tip : SAS/B Knob color : TR/ORG Cartridge type : MM Cartridge number : MD-1025RBZ Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	
<p>30-Z1E DT-Z1E</p>  <p>Tip : SAS/S Knob color : TR/ORG Cartridge type : MM Cartridge number : MD-1025RBZ Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>30-Z1E DT-Z1E</p>  <p>Tip : NUDE Elliptical Knob color : TR/ORG Cartridge type : MM Cartridge number : MD-1025REZ Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>30-Z1EB DT-Z1EB</p>  <p>Tip : SAS/B Knob color : TR/GREEN Cartridge type : MM Cartridge number : MD-1025EB(Z) Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>30-Z1EB DT-Z1EB</p>  <p>Tip : NUDE Elliptical Knob color : TR/GREEN Cartridge type : MM Cartridge number : MD-1025EB(Z) Tracking force : 1.0 - 1.5</p> <p>NUDE</p>
<p>30-Z1S DT-Z1S</p>  <p>Tip : SAS/B Knob color : GRY Cartridge type : MM Cartridge number : MD-1025 Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>30-Z1S DT-Z1S</p>  <p>Tip : SAS/S Knob color : GRY Cartridge type : MM Cartridge number : MD-1025 Tracking force : 1.0 - 1.5</p> <p>SAS/S</p>	<p>30-Z1S DT-Z1S</p>  <p>Tip : NUDE Conical Knob color : GRY Cartridge type : MM Cartridge number : MD-1025 Tracking force : 1.0 - 1.5</p> <p>NUDE</p>	<p>30-Z1S(E) DT-Z1SE</p>  <p>Tip : NUDE Elliptical Knob color : GRY Cartridge type : MM Cartridge number : MD-1025 Tracking force : 1.0 - 1.5</p> <p>NUDE</p>
<p>30-Z1SR DT-Z1SR</p>  <p>Tip : SAS/B Knob color : RED Cartridge type : MM Cartridge number : Z1SR Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>30-Z3E DT-Z3E</p>  <p>Tip : SAS/B Knob color : TR/RED Cartridge type : MM Cartridge number : Z3E Tracking force : 1.0 - 1.5</p> <p>SAS/B</p>	<p>30-X1E/2 DT-X1E/ </p>  <p>Tip : NUDE Elliptical Knob color : TR/ORG Cartridge type : MM Cartridge number : X1/ II, X1/D Tracking force : 1.3 - 1.7</p> <p>NUDE</p>	<p>30-33G DT-33G</p>  <p>Tip : NUDE Conical Knob color : BLK Cartridge type : MM Cartridge number : MD-1016 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>
<p>30-33H DT-33H</p>  <p>Tip : NUDE Conical Knob color : YEL Cartridge type : MM Cartridge number : MD-1016 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>	<p>30-33H DT-33H(E)</p>  <p>Tip : NUDE Elliptical Knob color : YEL Cartridge type : MM Cartridge number : MD-1016 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>	<p>30-33S DT-33S</p>  <p>Tip : NUDE Conical Knob color : GRN Cartridge type : MM Cartridge number : MD-1016 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>	<p>30-33S DT-33S(E)</p>  <p>Tip : NUDE Elliptical Knob color : GRN Cartridge type : MM Cartridge number : MD-1016 Tracking force : 1.5 - 2.0</p> <p>NUDE</p>
<p>30-59a DT-59</p>  <p>Tip : NUDE Conical Knob color : GRN Cartridge type : VM Cartridge number : MD-1059 Tracking force : 2.5</p> <p>NUDE</p>	<p>30-60a DT-60</p>  <p>Tip : NUDE Conical Knob color : ORG Cartridge type : VM Cartridge number : Tracking force : 3.5</p> <p>NUDE</p>		

<p style="font-size: 48px; transform: rotate(-90deg);">JICO</p> <p>ACCESSORIES</p>	<p>CSS-J600 STYLUS CACE</p>  <p>Store up to six Styli</p>	<p>CSS-J600W STYLUS CACE TWO-PIECE</p>  <p>Store up to six Styli. Two Pieces</p>	<p>CSS-JCC CARTRIDGE CASE</p>  <p>Cartridge Case CSS-JCC Dimensions: W117mm x L117mm x H50mm</p>
	<p>CSS-JHSB HEADSHELL BLACK</p>  <p>[Package consists] Leadwire(x2) Screws(x2) Φ2.5mm x 16mm washers(x2) Nuts(x2) Headshell : Black CSS-JHSB Weight : 8.7g(Include Leadwires)</p>	<p>CSS-JHSS HEADSHELL SILVER</p>  <p>[Package consists] Leadwire(x2) Screws(x2) Φ2.5mm x 16mm washers(x2) Nuts(x2) Headshell : Silver CSS-JHSS Weight : 8.7g(Include Leadwires)</p>	<p>CSS-JHSME-B HEADSHELL SME BLACK</p>  <p>[Package consists] Leadwire(x2) Screws(x2) Φ2.5mm x 14mm washers(x2) Nuts(x2) Headshell : SME Black CSS-JHSME-B Weight : 7.3g(Include Leadwires)</p>
<p>CSS-JLWW LEAD WIRES WHT</p>  <p>Color : White ※ Designed only for use with JICO original Headshells</p>	<p>CSS-JLWR LEAD WIRES RED</p>  <p>Color : Red ※ Designed only for use with JICO original Headshells</p>	<p>CSS-JLWC LEAD WIRES CLR</p>  <p>Color : Clear ※ Designed only for use with JICO original Headshells</p>	

*web only wholesale over100

<p>JICO APPAREL JICO ORIGINAL LOGO T- SHIRT A</p>  <p>Color : Black Size : M / L / XL / XXL</p>	<p>JICO APPAREL JICO ORIGINAL LOGO T- SHIRT B *Back Print</p>  <p>Color : Black Size : M / L / XL / XXL</p>	<p>JICO APPAREL JICO ORIGINAL STYLUS SELECT T- SHIRT A</p>  <p>Color : Black / White Size : M / L / XL / XXL</p>	<p>JICO APPAREL JICO ORIGINAL STYLUS SELECT T- SHIRT B</p>  <p>Color : Black / White Size : M / L / XL / XXL</p>
<p>JICO APPAREL JICO ORIGINAL IMPACT T- SHIRT</p>  <p>Color : Black / White Size : M / L / XL / XXL</p>	<p>JICO APPAREL JICO ORIGINAL J44A 7 T- SHIRT</p>  <p>Color : Black / White Size : M / L / XL / XXL</p>		

JICO



✉ stylus@export-japan.com  <https://www.jico-stylus.com>

2023.Oct.